



(12) **EUROPEAN PATENT APPLICATION**

(43) Date of publication:
12.04.2000 Bulletin 2000/15

(51) Int Cl.7: **H04L 12/18, H04L 12/24,
H04L 29/06**

(21) Application number: **99480073.8**

(22) Date of filing: **29.07.1999**

(84) Designated Contracting States:
**AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE**
Designated Extension States:
AL LT LV MK RO SI

(72) Inventor: **Foncarnier, Olivier**
06140 Vence (FR)

(74) Representative: **Etorre, Yves Nicolas**
Compagnie IBM France,
Département Propriété Intellectuelle
06610 La Gaude (FR)

(30) Priority: **08.10.1998 EP 98480066**

(71) Applicant: **INTERNATIONAL BUSINESS
MACHINES CORPORATION**
Armonk, NY 10504 (US)

(54) **System for broadcasting alarm messages to selected users of an IP network**

(57) System for broadcasting alarm messages from a server (16) to a list of users among a plurality of multi-platform users (10) sharing the server in a data transmission network (14) operating under Internet Protocol (IP) and using the Java language. The system comprises a profile table (24) containing the profiles of each user,

a processing unit (20) and a message sender (28) enabling an administrator associated with the server to transmit alarm messages to the users of the list wherein the users have been selected by selecting profiles in the profile table. The alarm messages are displayed on the screen of the workstation associated with each selected user if this workstation is running.




FIG. 1

Description

Technical field

[0001] The invention relates to the heterogeneous data transmission networks which can be shared by multi-platform users by means of a language tool of the Java type, and particularly to a system for broadcasting alarm messages to selected users of such a network.

Background

[0002] The data transmission network based upon the Internet Protocol (IP) is becoming an universal network used by more and more people in the world. As the users which are interconnected by such a network are operating on different platforms, there was a need of a language tool for the users to be able to communicate together whatever platform they are using.

[0003] The Java language that emerged to meet this need is simple and can be easily programmed by most developers without an extensive programmer training while being attuned to current software practices. The Java language is object oriented to take advantage of modern software development methodologies and to fit into distributed user-server applications. It is also multi-threaded for high performance in applications that need to perform multiple concurrent activities such as multimedia.

[0004] The Java language is designed to support applications that are deployed into heterogeneous network environments wherein the application must be capable of executing on a variety of hardware architectures. Within this variety of hardware platforms, the applications can execute atop various operating systems (OS/2, Windows 95, Windows NT, Aix, etc.) and interoperate with multiple programming language interfaces.

[0005] Nevertheless, despite the powerful performance of the Java language, there is at present no tool enabling information or alarm message to be forwarded from a server and displayed to one or several users operating on different platforms while these users are running our application.

Summary of the invention

[0006] Accordingly, the main object of the invention is to provide a system for broadcasting information and alarm messages to selected users in a heterogeneous data transmission network such as an IP network.

[0007] Another object of the invention is to provide an heterogeneous data transmission network such as an IP network wherein at least a server can broadcast information and alarm messages to a list of users defined by their profiles previously stored in a profile table.

[0008] Therefore, the invention relates to a system for broadcasting alarm messages from a server to a list of users among a plurality of multi-platform users sharing

the server in a data transmission network operating under Internet Protocol (IP) and using the Java language, this system comprising a profile table which contains the profiles of each user, and processing and transmitting means which enable an administrator associated with the server to transmit alarm messages to the users of the list wherein the users have been selected by selecting profiles in the profile table, the alarm messages being displayed on the screen of the workstation associated with each selected user if his workstation is running.

Detailed description of the invention

[0009] The objects, features and advantages of the invention will become clear from the following description in reference to the accompanying Figure 1 representing schematically a block-diagram of a user connected through an IP network to its server provided with a system for broadcasting messages according to the invention.

[0010] As illustrated, a user application 10 is connected to a node 12 of an IP network 14 and can transmit data over the network to any other user application by using a server 16 connected to a node 18 of network 14.

[0011] Server 16 includes a processing unit 20 which handles the server and is also used to process all the operations controlled by an administrator entering the server via an administrator interface 22.

[0012] Server 16 also comprises a System Network Message Protocol (SNMP), an interface 23 allowing to monitor defined machines, a profile table 24 for the registration of the user profiles, an alarm scheduler 26 and a message sender 28 connected to node 18.

[0013] When a user is connected for the first time to the server, he provides data about the team in which he is integrated, his centers of interest, etc. which enable a profile to be constituted. Such a profile is registered in profile table 24 and can be used by the administrator to send messages to the user. Note that the profile can be modified at any time at the request of the user.

[0014] By means of a new application written in Java language (Java alarm program) and run by processing unit 20, messages can be sent to any user connected to server 16 such as user 10 whatever the platform he is using, AIX, SUN, OS/2, DOS, Windows 95, etc. The messages can be either manually sent, or automatically sent, or can be standalone alarm functions.

[0015] A message or an alarm can be manually sent when the server administrator writes the message (or alarm) on administrator interface 22 and initiates himself the transmission thereof to a list of users whose profile has been selected in profile table 24. Then, the message is sent by message sender 28 over the network to all running workstations corresponding to the selected profile. On the user workstation, the Java alarm program receives the message (or alarm) and displays it in foreground on the user screen, and an alarm tune is also

played. Once the message is read, the user presses the OK key and the program switches in background. Then, the Java alarm program sends back to server 16 an acknowledgment which can be used for statistic purposes on the server.

[0016] Messages can also be generated automatically from server 16. In such a case, a message or an alarm is previously written by the administrator and stored in the memory of processing unit 20. At the same time, the administrator defines the profile of the users to which such a message or an alarm must be sent when a condition or an event occurs. Thus, the message can be used to monitor specific resources via SNMP interface 22, an alert message being sent by message sender 28 when one of those resources comes down or becomes unavailable. Information messages can also be broadcast to a list of users when an event is triggered, such as the message « staff meeting in 10 minutes » sent to all members of a team every Monday at 9.50 am. For this type of alert messages triggered by an event, the transmission of the message is scheduled in alarm scheduler 26 by the administrator.

[0017] The standalone alarm functions are used to detect when the server is out. In such a case, a message is scheduled in alarm schedule 26 to be regularly sent to the users.

[0018] If the user is no longer available, no message is received by the user who knows that the server is out of work.

[0019] The use of standalone alarm functions can be enhanced if the list of events and monitoring servers were downloaded directly into the Java alarm program at the beginning and refreshed once a change is made in the alarm server. An advantage is to determine more precisely the connection problem. For example, if the server is the only server which cannot be contacted, there is a server problem or if all the monitored servers cannot be contacted, there is a network problem and the message will be different.

Claims

1. System for broadcasting alarm messages from a server (16) to a list of users among a plurality of multi-platform users (10) sharing said server in a data transmission network (14) operating under Internet Protocol (IP) and using the Java language ;

said system being characterized in that it comprises a profile table (24) containing the profiles of each one of said plurality of users, and processing and transmitting means (20, 28) enabling an administrator associated with said server to transmit alarm messages to the users of said list wherein said users have been selected by selecting profiles in said profile table, said alarm messages being displayed on the screen of the workstation associated with each selected user if said workstation is running.

ning.

2. System according to claim 1, wherein said processing and transmitting means comprise a processing unit (20) operating under the control of a Java alarm program and a message sender (28) transmitting directly said alarm messages over said network (14).
3. System according to claim 1 or 2, wherein said alarm messages are written and manually sent by the administrator when necessary.
4. System according to claim 1 or 2, wherein alarm messages previously written by the administrator are automatically sent by said processing and transmitting means at the occurrence of a condition or an event.
5. System according to claim 4, wherein said alarm messages are automatically sent when one of specific resources monitored by a System Network Message Protocol (SNMP) via a SNMP interface (22) comes down or becomes unavailable.
6. System according to claim 4, wherein said alarm messages are automatically sent at the occurrence of an event scheduled in an alarm scheduler (26) by said administrator.
7. System according to claim 1 or 2, wherein said alarm messages are standalone alarm functions used to detect when said server (16) is out of work.
8. Server (16) used in a data transmission network (14) operating under Internet Protocol (IP) and using the Java language, said server being shared by a plurality of multi-platform users (10) and running a Java alarm program enabling alarm messages to be sent to a list of users among said plurality of users ;
said server being characterized in that it comprises a profile table (24) containing the profiles of each one of said plurality of users, and processing and transmitting means (20, 28) enabling an administrator associated with said server to transmit alarm messages to the users of said list wherein said users have been selected by selecting profiles in said profile table, said alarm messages being displayed on the screen of the workstation associated with each selected user if said workstation is running.
9. Server according to claim 8, wherein said processing and transmitting means comprise a processing unit (20) operating under the control of a Java alarm program and a message sender (28) transmitting directly said alarm messages over said network

(14).

10. Server according to claim 8 or 9, wherein said alarm messages are written and manually sent by the administrator when necessary. 5
11. Server according to claim 8 or 9, wherein alarm messages previously written by the administrator are automatically sent by said processing and transmitting means at the occurrence of a condition or an event. 10
12. Server according to claim 11, wherein said alarm messages are automatically sent when one of specific resources monitored by a System Network Message Protocol (SNMP) via a SNMP interface (22) comes down or is unavailable. 15
13. Server according to claim 11, wherein said alarm messages are automatically sent at the occurrence of an event scheduled in an alarm scheduler (26) by said administrator. 20
14. Server according to claim 8 or 9, wherein said alarm messages are standalone alarm functions used to detect when said server (16) is out of work. 25

30

35

40

45

50

55




FIG. 1



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 99 48 0073

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
Y	WO 97 27546 A (EX MACHINA INC) 31 July 1997 (1997-07-31) * abstract * * page 3, line 20 - page 5, line 24 * * page 8, line 8 - page 9, line 19 * * page 12, line 13 - line 25 * * page 19, line 19 - line 29 * * figures 1,2 *	1-4, 8-11,13	H04L12/18 H04L12/24 H04L29/06
Y	COLLINSON P : "Network Flight Recorder " CENTAUR COMMUNICATIONS, vol. 13, no. 2, July 1998 (1998-07), pages 47-52, XP002128934 UK * page 51, left-hand column, line 8 - line 25 *	1-4, 8-11,13	
A	EP 0 738 961 A (FUJI XEROX CO LTD) 23 October 1996 (1996-10-23) * abstract * * page 2, column 1, line 48 - page 3, column 4, line 14 *	7,14	TECHNICAL FIELDS SEARCHED (Int.Cl.7)
A	US 5 339 392 A (RISBERG JEFFREY S ET AL) 16 August 1994 (1994-08-16) * abstract * * column 2, line 25 - column 5, line 37 *	1,8	H04L
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 1 February 2000	Examiner Poggio, F
CATEGORY OF CITED DOCUMENTS X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document		T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document	

EPO FORM 1503 03.82 (P04021)

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 99 48 0073

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

01-02-2000

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
WO 9727546	A	31-07-1997	AU 1754397 A	20-08-1997
			CA 2243555 A	31-07-1997
			CN 1217800 A	26-05-1999
			EP 0886826 A	30-12-1998
EP 0738961	A	23-10-1996	JP 8286989 A	01-11-1996
US 5339392	A	16-08-1994	US 5187787 A	16-02-1993
			US 5257369 A	26-10-1993
			US 5557798 A	17-09-1996
			AT 158428 T	15-10-1997
			AU 660004 B	08-06-1995
			AU 9149091 A	17-08-1992
			CA 2099020 A	29-06-1992
			DE 69127703 D	23-10-1997
			DE 69127703 T	30-04-1998
			EP 0564548 A	13-10-1993
			JP 2927548 B	28-07-1999
			JP 6504152 T	12-05-1994
			MX 9102839 A	01-06-1992
			WO 9212488 A	23-07-1992
			AT 164695 T	15-04-1998
			AU 4213393 A	14-10-1993
			AU 677555 B	24-04-1997
			AU 5249396 A	25-07-1996
			AU 636152 B	22-04-1993
			AU 5867190 A	31-01-1991
			CA 2001621 A,C	27-01-1991
			DE 69032191 D	07-05-1998
			DE 69032191 T	05-11-1998
			EP 0412232 A	13-02-1991
			JP 3148739 A	25-06-1991
			US 5966531 A	12-10-1996
			AT 163483 T	15-03-1998
			AU 648113 B	14-04-1994
			AU 8602491 A	11-06-1992
			AU 8953091 A	20-05-1992
			CA 2052803 A	23-04-1992
			DE 69128952 D	02-04-1998
			DE 69128952 T	01-10-1998
			EP 0485252 A	13-05-1992
			JP 4299758 A	22-10-1992
			KR 9704519 B	28-03-1997
			MX 9101699 A	05-06-1992
			WO 9207324 A	30-04-1992

EPO FORM P0158

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

This Page Blank (uspto)